



ASSEMBLY INSTRUCTIONS

ITEM NO. D1701-50S

GIA ROUND DINING TABLE
GIA DINING CHAIR (SET INCLUDES 4 CHAIRS)



This page lists all the contents included in the Box. Please take time to identify the hardware as well as the individual components to this product. As you unpack and prepare for assembly, place the contents on a carpeted or padded area to protect them from damage.


Cleaning & Care

Treat the surface with care, clean it with a dry or damp soft cloth.
Do not use abrasive cleaners. Hardware may be loosen over time.
Periodically check that all connections are tight.
A Phillips screwdriver is necessary for assembly.

GENERAL INFORMATION, TIPS & TRICKS

1. Please read the assembly instructions prior to assembling this product.
2. To avoid damages, assemble this product on a non-abrasive surface such as a carpet.
3. Make sure all bolts and nuts are tightly fastened before the product is used.
4. Not for commercial use.
5. Care: Wipe with a damp cloth. Use furniture polish or lemon oil on the wood as needed. Avoid prolonged exposure to moisture.

Please make sure you have all parts before beginning assembly. Please wait until all steps are completed before tightening bolts. We recommend two people to assemble.



A Phillips screwdriver is necessary for assembly.

Do not put hot pots or objects which are more than 80 degrees Fahrenheit directly on the table.

TABLE PART LIST





A. Table Top	B. Connector Panels	C. Middle Shelf	D. Table Legs
			
QTY: 1 PC	QTY: 4 PCS	QTY: 1 PC	QTY: 4 PCS

TABLE HARDWARE LIST




1. SPRING WASHERS	2. FLAT WASHERS	3. LONG BOLTS	4. LEVELERS
			
SIZE: 5/16" DIA	SIZE: 5/16" DIA	SIZE: 5/16" x 1 1/4"	SIZE: 5/16" DIA
QTY: 16 PCS	QTY: 16 PCS	QTY: 4 PCS	QTY: 4 PCS
5. ALLEN KEY	6. SHORT BOLTS	7. SHORT BOLTS	
			
SIZE: 1/4" DIA	SIZE: 1/4" x 1"	SIZE: 5/16" x 2 1/2"	
QTY: 1 PC	QTY: 8 PCS	QTY: 8 PCS	

TABLE ASSEMBLY INSTRUCTIONS

STEP 1

Attach the Connector Panels (B) to the Table Legs (D) by using Long Bolts (3). Tighten by using Allen Key (5).



STEP 2

Attach the Table Legs (D) to the Table Top (A) by using Short Bolts (6) with Allen Key (5). Do not tighten all bolts at this step.

Attach Middle Shelf (C) to the Table Legs (D) by using Short Bolts (7), Spring Washers (1), and Flat Washers (2) with Allen Key (5). Do not tighten all bolts at this step.





TABLE ASSEMBLY INSTRUCTIONS

STEP 3

Attach the Levelers (4) to the base of the Table Legs (D) in clockwise direction.






STEP 4



Turn the table to the upright position carefully. Make sure the table is level, and then securely tighten all bolts at this stage. Assembly is now completed.



CHAIR PART LIST

A. Back Legs	B. Seat Frames	C. Front Legs	D. Cushion Seats
			
QTY: 4 PCS	QTY: 4 PCS	QTY: 8 PCS	QTY: 4 PCS

CHAIR HARDWARE LIST


1. FLAT WASHERS	2. SPRING WASHERS	3. NUTS	4. ALLEN WRENCH
			
SIZE: 5/16" DIA	SIZE: 5/16" DIA	SIZE: 5/16" DIA	SIZE: 5/16" DIA
QTY: 44 PCS	QTY: 44 PCS	QTY: 16 PCS	QTY: 1 PC
5. SHORT BOLTS	6. LONG BOLTS	7. WOOD SCREWS	
			
SIZE: 1/4" x 1 3/4"	SIZE: 1/4" x 3"	SIZE: 5/32" x 1 1/2"	
QTY: 12 PCS	QTY: 16 PCS	QTY: 24 PCS	

CHAIR ASSEMBLY INSTRUCTIONS

STEP 1

Attach the Front Legs (C) to the Seat Frame (B) by using Nuts (3), Spring Washers (2), and Flat Washers (1).


Note: The Seat Frame (B) has two screw holes on each side, which are used for attaching the seat. These holes are wider on the bottom and narrower on the top. Ensure the wider holes face towards you.



STEP 2

Attach the Seat Frame (B) to the Back Leg (A) by using Short Bolts (5), Long Bolts (6), Spring Washers (2), and Flat Washers (1). Do not fully tighten.

Turn the chair upright. Make sure the assembled unit is level and square. Tightly fasten all Nuts (3) and Bolts (5&6) with the Allen Wrench (4).




CHAIR ASSEMBLY INSTRUCTIONS

STEP 3

Place the Cushion Seat (D) upside down on a non-abrasive table surface. The rear (tapered end) of the Cushion Seat (D) should be near the table edge.


Hint: Protect the non-abrasive table surface and the Cushion Seat (D) by laying a towel in-between the chair seat and table.

Place the assembled chair frame on the Cushion Seat (D). Attach with Wood Screws (7). Tighten the screws.



CHAIR ASSEMBLY INSTRUCTIONS

STEP 4



The Dining Chair is now ready for use.

Repeat Steps 1 to 3 to assemble the other chairs.

Printed in Vietnam